

STOCK PRODUCTS



A refined selection of the **immediately available** Carpet Tiles products, to provide our clients with all the needed information, and to **inspire** architects and designers with attractive **color combinations**.



VOXFLO®

01.

OUR GOAL

Thanks to the **ultimate tufting technology**, our accurate fiber selection can insure vivid **colors**, perfect **geometries** and great **performances**.

Crowded cities and their busy traffic can be stressful, but are a certain part of most commuters' everyday lifestyle. To balance it out, we bring nature into people's life, employing a number of methods, using natural materials, natural patterns or simply natural colors.



VOXFLOOR
MILANO CREATIVE STUDIO

VOXFLOOR is always looking forward to **new solutions** and **advanced technologies** to improve its products in every direction, especially exploring **green resources** and environmental friendly **innovations**.

Since Italy has always been the global center of Innovation and Milano one of the World Capital of Fashion and Design, VOXFLOOR settles there its creative center. A multicultural Team of Architects, Graphics, Fashion and Product designers, study, suggest and develop new trends, fresh flavours and inventive alternatives, to offer our clients the ultimate solutions for carpet tiles. In this way VOXFLOOR sums up the top skills of a Chinese Manufacturer and the most original ideas of Italian Design, in a perfect mix of Western and Eastern taste, to develop the complete global vision of a Design Driven International Company.



Xinyu VOXFLOOR Factory

02.

ALFOMBRA MODULAR EN STOCK

Colors are part of **human nature**, colors are **expression**, colors are a **reflection of taste**.

VOXFLO not only aims to provide more fashionable products, but also to provide its customers with more interesting floor designs and meet the needs of the customer's space function.

Our flexibility helps us create an ABW (Activity Based Work Environment) workspace. Concerned with people's demands, we offer a wider range of colors and more comfortable Carpet Tiles. We hope our products make commercial spaces more friendly, comfortable, and efficient.

COLLECTIONS IN STOCK

UNIQUE REALIZATIONS



WETLAND

Wetland is a **unique organic pattern** in that cleverly uses light and shade to create a soft natural movement on the floor. Adding an extra dimension is the use of the **accent colors** in Wetlands accent pattern “**Awake**” which so subtly break through the pattern like reflections in the water. Perfect for when you need a **neutral base design but also want to add a hint of color** to add personality or integrate subtle zoning across a larger floorplate.

• SPECIFICATIONS

Product Name: Wetland

Construction: Multi-level Loop

Fiber: Voxflor Certified Nylon®

Gauge: 1/12”

Stiches: 12 per inch

Pile Weight: 20 OZ/yd²

Average Pile Height: 4.0mm±0.5mm

Backing: EcoAce-Bac®

Tile Size: 50cm*50cm

Area of Use: Commercial – Heavy Duty

Anti-microbial: Ultra Fresh (Available)

Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)

Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999

Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS




Wetland 100




Wetland 101



Wetland 201



Wetland 301



Wetland 302



Awake 5101



Awake 5201




Awake 5202



Awake 5301


• PATTERN




Page 07 - Wetland 301, Awake 5301



Page 08 - Wetland 100, 101, Awake 5101



Page 09 - Wetland 302



Page 10 - Wetland 201, Awake 5201, 5202



Wetland 301, Awake 5301



Wetland 100, 101, Awake 5101



Wetland 302




NARNIA

Narnia is part of the highlight products, featuring a **resistant product** with a **classic appeal**. One of its best qualities is its compatibility with other products thanks to its **elegant pattern**. Like the little black dress in every lady's wardrobe, Narnia fulfills the position of classic **styling, long-lasting, versatile, and affordable design**. A multi-level loop in tone-on-tone colorways its' become part of the designer's toolbox they can't do without.


• SPECIFICATIONS

- Product Name:** Narnia
- Construction:** Multi-level Loop
- Fiber:** Voxflor Certified Nylon®
- Gauge:** 1/12"
- Stitches:** 11 per inch
- Pile Weight:** 17 OZ/yd²
- Average Pile Height:** 3.5mm±0.5mm
- Backing:** EcoAce-Bac®
- Tile Size:** 25cm*100cm
- Area of Use:** Commercial – Heavy Duty
- Anti-microbial:** Ultra Fresh (Available)
- Flammability:** ASTM E 648 Class I, GB8624-2012 B1(C)
- Smoke Density:** ASTM E 662 Less than 450, GB/T 8627-1999
- Static Propensity:** AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



• PATTERN



Narnia 100, 500



MORNING MIST

Morning Mist's **subtle pattern** and color combinations provide a **neutral floorplate** with real character. **8 practical colors** which mix and match perfectly offer flexibility and simple design opportunities for installations both large and small. With **tufted cut and loop construction**, Morning mist is a great example of how nature and technology can work together in order to create the perfect product.

• SPECIFICATIONS

Product Name: Morning Mist

Construction: Multi-level Loop

Fiber: Voxflor Certified Nylon®

Gauge: 1/12"

Stiches: 11 per inch

Pile Weight: 18 OZ/yd²

Average Pile Height: 3.5mm±0.5mm

Backing: EcoAce-Bac®

Tile Size: 50cm*50cm

Area of Use: Commercial – Heavy Duty

Anti-microbial: Ultra Fresh (Available)

Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)

Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999

Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



Morning Mist 01



Morning Mist 02



Morning Mist 03



Morning Mist 04



Morning Mist 05



Morning Mist 06




Morning Mist 07



Morning Mist 08

• PATTERN



Page 17 - Morning Mist 05, 06, 08



Page 18 - Morning Mist 02, 04



Page 19 - Morning Mist 03



Morning Mist 05, 06, 08



Morning Mist 02, 04



Morning Mist 03













MONDRIAN

Taking **inspiration** from the art of Piet Mondrian, and from the whole **Bauhaus** movement, this collection breaks down the classic design into 3 offers. Mondrian 100 provides a **dynamic but neutral canvas** for Mondrian 200 to apply its **magic** by introducing simple **geometric color planes** in 7 colors. Mondrian 300 completes the suite of patterns with **dynamic, colored rectangles**. The multi-level loop construction adds a third dimension to this classic design.



• SPECIFICATIONS

| | |
|---|--|
| Product Name: Mondrian 100, 200, 300 | Backing: EcoAce-Bac® |
| Construction: Multi-level Loop | Tile Size: 100cm*25cm |
| Fiber: Voxflor Certified Nylon® | Area of Use: Commercial – Heavy Duty |
| Gauge: 1/12", 1/10", 1/10" | Anti-microbial: Ultra Fresh (Available) |
| Stitches: 13 per inch, | Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Pile Weight: 18 OZ/yd², 24 OZ/yd², 26 OZ/yd² | Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Average Pile Height: 4.0mm±0.5mm | Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008 |

• COLORS

| | | | |
|--|---|---|--|
|  Mondrian 100 75001 |  Mondrian 100 75002 |  Mondrian 100 75003 |  Mondrian 100 75004 |
|  Mondrian 200 75001 |  Mondrian 200 75002 |  Mondrian 200 75003 |  Mondrian 200 75004 |
|  Mondrian 300 75001 |  Mondrian 300 75002 |  Mondrian 300 75003 |  Mondrian 300 75004 |

• PATTERN

| | |
|---|--|
|  Page 21 - Mondrian 100, 200, 300, 75004 |  Page 22 - Mondrian 100, 200, 300, 75003 |
|---|--|



Mondrian 100, 200, 300, 75004



Mondrian 100, 200, 300 75003



















NETWORK

Networking, Connecting, and Innovating are all words we use in today's **technological world** for the way we work and, the places we work. In fact they are also the inspiration for Network, a new product that brings together **pattern, color, and form** to create floor designs for today's **commercial spaces**. There are 3 patterns and multiple color themes in the range specifically designed to provide a design toolbox for creating **coordinated work and leisure** spaces in a busy modern commercial office space.

• SPECIFICATIONS

| | |
|---|--|
| Product Name: Access, Connection, Route | Backing: EcoAce-Bac® Pro |
| Construction: Multi-level Loop | Tile Size: 25cm*100cm |
| Fiber: Voxflor Certified Nylon® | Area of Use: Commercial – Heavy Duty |
| Gauge: 1/10" | Anti-microbial: Ultra Fresh (Available) |
| Stitches: 8 per inch, | Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Pile Weight: 22 OZ/yd², 23 OZ/yd², 24 OZ/yd² | Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Average Pile Height: 4.0mm±0.5mm | Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008 |

• COLORS

| | | |
|---|--|---|
|  Access 01 |  Connection 01 |  Route 01 |
|  Access 02 |  Connection 02 |  Route 02 |
|  Access 03 |  Connection 03 |  Route 03 |
|  Access 04 |  Connection 04 |  Route 04 |
|  Access 05 |  Connection 05 |  Route 05 |
|  Access 06 |  Connection 06 |  Route 06 |

• PATTERN

| | | |
|--|---|--|
|  |  |  |
| Page 25 - Access, Connection, Route 01 | Page 26 - Access 02, 03, Connection, Route 02 | Page 28 - Access 04, 05, 06 |



Access, Connection, Route 01






HUSSAR

A **modern classic** in terms of design and color, this **simple design** just goes on and on. Probably one of the most **high-performance** carpet tiles due to its dense construction and clever coloration. Hussar is a perfect example of basic product. It's a low level-loop construction carpet which guarantees **durability**, and **easiness in maintenance** to satisfy any need of commercial spaces.


• SPECIFICATIONS

| | |
|---|--|
| Product Name: Hussar | Backing: EcoAce-Bac® |
| Construction: Level Loop | Tile Size: 50cm*50cm |
| Fiber: Voxflor Certified Nylon® | Area of Use: Commercial – Heavy Duty |
| Gauge: 5/64" | Anti-microbial: Ultra Fresh (Available) |
| Stiches: 10 per inch | Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Pile Weight: 16 OZ/yd² | Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Average Pile Height: 3.0mm±0.5mm | Static Propensity: AATCC-I34 ≤ 3.5kV, GB/T 18044-2008 |

• COLORS



• PATTERN



Hussar 01



LANDSCAPE

Two different base product, one with a **stone-like effect**, the other with a **bark looking pattern**, together with a full color product and an intermediate which allows a **soft fading transition** from one to the other, **Landscape**, with its multi-level construction, offers limitless solutions to the designer. Mixing colors, patterns and **creating infinite combinations**, taking inspiration from the **natural environment**, this collection is perfect for innovative, young and fresh working places.

• SPECIFICATIONS

Product Name: Bark
Construction: Multi–Level Loop
Fiber: Voxflor Certified Nylon®
Gauge: 1/10”
Stiches: 10 per inch
Pile Weight: 32 OZ/yd²
Average Pile Height: 5.0mm±0.5mm

Backing: EcoAce-Bac® Pro
Tile Size: 25cm*100cm
Area of Use: Commercial – Heavy Duty
Anti-microbial: Ultra Fresh (Available)
Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



Bark 30000

• SPECIFICATIONS

Product Name: Bark Edge, Bark Plus
Construction: Multi–Level Loop
Fiber: Voxflor Certified Nylon®
Gauge: 1/10”
Stiches: 10 per inch
Pile Weight: 33 OZ/yd²
Average Pile Height: 5.0mm±0.5mm

Backing: EcoAce-Bac® Pro
Tile Size: 25cm*100cm
Area of Use: Commercial – Heavy Duty
Anti-microbial: Ultra Fresh (Available)
Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



Bark Edge 20244



Bark Edge 36740



Bark Plus 20244

• SPECIFICATIONS

Product Name: Moss
Construction: Multi–Level Loop
Fiber: Voxflor Certified Nylon®
Gauge: 1/10”
Stiches: 9 per inch
Pile Weight: 32 OZ/yd²
Average Pile Height: 5.0mm±0.5mm
Backing: EcoAce-Bac® Pro
Tile Size: 25cm*100cm
Area of Use: Commercial – Heavy Duty
Anti-microbial: Ultra Fresh (Available)
Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



• SPECIFICATIONS

Product Name: Stone
Construction: Multi–Level Loop
Fiber: Voxflor Certified Nylon®
Gauge: 1/10”
Stiches: 10 per inch
Pile Weight: 32 OZ/yd²
Average Pile Height: 5.0mm±0.5mm
Backing: EcoAce-Bac® Pro
Tile Size: 25cm*100cm
Area of Use: Commercial – Heavy Duty
Anti-microbial: Ultra Fresh (Available)
Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



• SPECIFICATIONS

Product Name: Stone Edge, Stone Plus

Construction: Multi-Level Loop

Fiber: Voxflor Certified Nylon®

Gauge: 1/10”

Stiches: 10 per inch

Pile Weight: 33 OZ/yd²

Average Pile Height: 5.0mm±0.5mm

Backing: EcoAce-Bac® Pro

Tile Size: 25cm*100cm

Area of Use: Commercial – Heavy Duty


Anti-microbial: Ultra Fresh (Available)

Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)


Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999

Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



• PATTERN



Bark 30000, Stone Edge 30244, Stone Plus 30244,
Moss 0244



Stone 10000, Stone Edge 15324, Stone Plus 15324, Moss 5324, Moss 3704,
Stone Edge 13704, Stone Plus 13704

MUNDI

Mundi collection is composed by a series of four different products, developed on **five tones of gray**. Base represents the root for the whole system, **totally neutral**, offers a **solid and fresh background** for young professional areas, dynamic commercial spaces and hospitality. Fossil and Misty are built up with the same texture of Base plus two **strong pattern design**. An **eroded, aged net-like system for Fossil** and a **diffused melt** for Misty, adding a **strong color accent** to the neutral scene. Moss is **pure color, with shades of tone on tone**, not to flatten its look. The four are left free to be used individually or in a **homogeneous mix**, according to the designer taste and will.

• SPECIFICATIONS

Product Name: Base

Construction: Multi-level Loop & Tip-shear

Fiber: Voxflor Certified Nylon®

Gauge: 1/10"

Stiches: 9 per inch

Pile Weight: 26 OZ/yd²

Average Pile Height: 5.0mm±0.5mm

Backing: EcoAce-Bac® Pro

Tile Size: 25cm*100cm

Area of Use: Commercial – Heavy Duty

Anti-microbial: Ultra Fresh (Available)

Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)

Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999

Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



Base 10000



Base 20000



Base 50000



Base 60000

• SPECIFICATIONS

Product Name: Fossil, Misty

Construction: Multi-level Loop & Tip-shear

Fiber: Voxflor Certified Nylon®

Gauge: 1/10"

Stiches: 9 per inch

Pile Weight: 30 OZ/yd²

Average Pile Height: 5.0mm±0.5mm

Backing: EcoAce-Bac® Pro

Tile Size: 25cm*100cm

Area of Use: Commercial – Heavy Duty

Anti-microbial: Ultra Fresh (Available)

Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)

Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999

Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



Fossil 12131



Fossil 12359



Fossil 28383



Fossil 50244



Misty 19897



Misty 40244



Misty 505507



Base 50000, Fossil 50244

• SPECIFICATIONS


Product Name: Moss
Construction: Multi-level Loop
Fiber: Voxflor Certified Nylon®
Gauge: 1/10"
Stiches: 9 per inch
Pile Weight: 32 OZ/yd²
Average Pile Height: 5.0mm±0.5mm
Backing: EcoAce-Bac® Pro
Tile Size: 25cm*100cm
Area of Use: Commercial – Heavy Duty
Anti-microbial: Ultra Fresh (Available)
Flammability: ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS




Moss 05507

• PATTERN



Page 41 - Base 50000, Fossil 50244



Page 44 - Base 20000, Fossil 28383



Page 43 - Base 50000, Misty 505507



Base 50000, Misty 505507

RECEPTION












































COLOR SENSE

Having a **soft and smooth color fading effect** with **pastel tones** and the opportunity to play with tiles displacement and achieve more various and creative results. This is the logic behind Color Sense, a two meters pattern, cut into 8 tiles which can be combined in sequence, alternate or random, to create **colorful ambient** with **a new and fresh appeal**.





• SPECIFICATIONS


| | |
|---|--|
| Product Name: Color Sense | Backing: EcoAce-Bac® |
| Construction: Multi-level Loop | Tile Size: 25cm*100cm |
| Fiber: Voxflor Certified Nylon® | Area of Use: Commercial – Heavy Duty |
| Gauge: 1/12" | Anti-microbial: Ultra Fresh (Available) |
| Stiches: 9 per inch | Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Pile Weight: 26 OZ/yd² | Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Average Pile Height: 4.0mm±0.5mm | Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008 |

• COLORS

| Color Sense 75012001 | Color Sense 75012002 | Color Sense 75012003 | Color Sense 75012004 | Color Sense 75012005 | Color Sense 75012006 |
|--|---|---|---|--|---|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |

• PATTERN

| | | | |
|--|---|---|---|
|  |  |  |  |
| Page 50- Color Sense 75012001 | Page 49 - Color Sense 75012002 | Page 47 - Color Sense 75012004 | Page 48 - Color Sense 75012006 |



Color Sense 75012004





SPACEWALK

Inspired by **the Earth surface**, seen from outer space, Spacewalk offers a pattern which can be defined as **New Classic**. Spacewalk is composed by three products, which shares the same **neutral colors**, based on **grays and beige tones**, and different construction and pile weight. By mixing different products with the same colors, or different colors of the same product or even both, the options given by **Spacewalk are limitless**.

• SPECIFICATIONS

| | |
|---|--|
| Product Name: Spacewalk 100 | Backing: EcoAce-Bac® |
| Construction: Multi-level Loop | Tile Size: 25cm*100cm |
| Fiber: Voxflor Certified Nylon® | Area of Use: Commercial – Heavy Duty |
| Gauge: 1/10" | Anti-microbial: Ultra Fresh (Available) |
| Stiches: 11 per inch | Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Pile Weight: 21 OZ/yd² | Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Average Pile Height: 4.0mm±0.5mm | Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008 |


• COLORS



• SPECIFICATIONS

| |
|--|
| Product Name: Spacewalk 200, 300 |
| Construction: Multi-level Loop |
| Fiber: Voxflor Certified Nylon® |
| Gauge: 1/10" |
| Stiches: 10 per inch |
| Pile Weight: 23 OZ/yd², 26 OZ/yd² |
| Average Pile Height: 4.5mm±0.5mm, 5.0mm±0.5mm |
| Backing: EcoAce-Bac® |
| Tile Size: 25cm*100cm |
| Area of Use: Commercial – Heavy Duty |
| Anti-microbial: Ultra Fresh (Available) |
| Flammability: ASTM E 648 Class I, GB8624-2012 B1(C) |
| Smoke Density: ASTM E 662 Less than 450, GB/T 8627-1999 |
| Static Propensity: AATCC-134 ≤ 3.5kV, GB/T 18044-2008 |


• COLORS



Spacewalk 100, 200, 300-02



Page 53 - Spacewalk 100, 200, 300-02



Page 54 - Spacewalk 100, 200, 300-05



Page 55 - Spacewalk 200, 300-03



Spacewalk 100, 200, 300-05



Spacewalk 200, 300-03

SENSE

Sense is a complete palette of **grays and beige tones**. It has been developed on a 750 den. Yarn system, thanks to which can offer a **dense and vivid color look**. It offers an overall **elegant feeling** and by the chance of using it in single color or in multiple shades combination, playing with its **planks laying can generate infinite results**. Designer can play with its similar tones, creating sort of **fading effects** or with more different colors, for a **heavier contrast result**.


• SPECIFICATIONS

- Product Name:** Sense
- Construction:** Multi-level Loop
- Fiber:** Voxflor Certified Nylon®
- Gauge:** 1/12"
- Stiches:** 9 per inch
- Pile Weight:** 24 OZ/yd²
- Average Pile Height:** 4.0mm±0.5mm
- Backing:** EcoAce-Bac®
- Tile Size:** 25cm*100cm
- Area of Use:** Commercial – Heavy Duty
- Anti-microbial:** Ultra Fresh (Available)
- Flammability:** ASTM E 648 Class I, GB8624-2012 B1(C)
- Smoke Density:** ASTM E 662 Less than 450, GB/T 8627-1999
- Static Propensity:** AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS



• PATTERN



Page 57 - Sense 75012



Sense 75012
























WATERFALL




Waterfall Is one of the **VOXFLOOR classics**. The patterns in its complete extension, is 2 meters long and provides **a smooth fading effect from gray to full color**. It can be used both with its complete set of 4 tiles or with just a shorter selection of tiles to achieve **more unique floor patterns**.

• SPECIFICATIONS

- Product Name:** Waterfall
- Construction:** Multi-level Loop
- Fiber:** Voxfloor Certified Nylon®
- Gauge:** 1/12"
- Stiches:** 11 per inch
- Pile Weight:** 18 OZ/yd²
- Average Pile Height:** 3.5 mm± 0.5mm
- Backing:** EcoAce-Bac®
- Tile Size:** 50cm*50cm
- Area of Use:** Commercial – Heavy Duty
- Anti-microbial:** Ultra Fresh (Available)
- Flammability:** ASTM E 648 Class I, GB8624-2012 B1(C)
- Smoke Density:** ASTM E 662 Less than 450, GB/T 8627-1999
- Static Propensity:** AATCC-134 ≤ 3.5kV, GB/T 18044-2008

• COLORS

| | | | | | | |
|---|--|--|--|--|---|---|
|  Waterfall 01A |  Waterfall 02A |  Waterfall 03A |  Waterfall 04A |  Waterfall 07B |  Waterfall 08A |  Waterfall 05 |
|  Waterfall 01B |  Waterfall 02B |  Waterfall 03B |  Waterfall 04B |  Waterfall 07D |  Waterfall 08B | |
|  Waterfall 01C |  Waterfall 02C |  Waterfall 03C |  Waterfall 04C | |  Waterfall 08C | |
|  Waterfall 01D |  Waterfall 02D |  Waterfall 03D |  Waterfall 04D | |  Waterfall 08D | |





Waterfall 04



Waterfall 03



ANIL ZEMIN MARKET

Vadi Istanbul Bulvar 2A Apt,
No:3/I , Kat:2 Daire: 15-16, 34247
Azerbaycan Cad. Ayazağa Mah.
Sarıyer/İstanbul

+90 212 274 44 22
info@anilzemin.com

<https://www.anilzemin.com/>

