

ARCTIK

SPECIFICATION SHEET



Performance Specifications

	Test Code	Standard	Test Result
Flammability Tests			
Radiant Panel	ASTM E 648	≥45 watt/cm ²	Class I
Methenamine Pill	ASTM D2859	7 out of 8	8
Smoke Density	ASTM E 662	≤ 450 DMC	≤ 450
Stability			
Delamination	ASTM D3936	≥ 3.0 lbc/in	No Separation
Dimensional Stability	AACHEN	≤ 0.2%	≤ 0.2%
Tuft Bind	ASTM D1335	≥ 8.0 lbs	≥ 8.0 lbs
Anti-Static			
Static Propensity	AATCC 134	≤ 3.5 kV	≤ 3.5 kV
Colour Fastness			
Light	AATCC 16 E	≥ 4	4-5
Rubbing/Crocking	AATCC 165	≥ 4	4-5
Wear Tests			
Castor Chair	BS EN 985	r ≥ 2.4	r = 2.8
Hexapod Drum	ASTM D5252	≥ 2.5	2.5
Acoustic Tests			
EcoAce-Bac@	EN ISO 354		αw = 0.30 (H)
EcoAce-Bac@	EN ISO 10140-1		ΔLw = 28 dB
EcoAce-Bac@ Pro	EN ISO 354		αw = 0.30 (H)
EcoAce-Bac@ Pro	EN ISO 10140-1		ΔLw = 29 dB

ARCTIK COLLECTION

Technical Specifications

Construction: Multi-level Loop

Fiber: Sorona® Fiber

Gauge: 1/10"

Stitches: 10 per inch

Area per carton: 5m²

Traffic Classification: Commercial - General Duty

Average Pile Height: 5.0 ± 0.5 mm

Standard Backing: EcoAce-Bac® Pro


Tile Size: 25 x 100 cm

Pile Weight: 34 OZ/yd²


Total Thickness: 10 ± 0.5 mm

Piece per carton: 20 pieces

Installation Methods



Ashlar



Herringbone

**These given methods of installation are considered as classic solutions. However, certain cases and needs may be different, and designs will differ accordingly.

Warranty

Lifetime Commercial Limited Warranty

[DOWNLOAD](#)

Additional Information

- VOXFLOOR uses Ultra-Fresh Antimicrobial system, which is by controlling odour and staining causing bacteria, mold and mildew growth, Ultra-Fresh antimicrobial additives help to keep products fresher, cleaner and more durable.


Additional Files

Installation Guidelines

[DOWNLOAD](#)

Maintenance Guidelines

[DOWNLOAD](#)



Certifications



ISO 9001:2015
ISO 14001:2015

[DOWNLOAD](#)



[DOWNLOAD](#)



ISO 14064
ISO 14067
ISO 14068-1
*Carbon Footprint
Carbon Neutrality

[DOWNLOAD](#)




[DOWNLOAD](#)



[DOWNLOAD](#)

Declare.

[DOWNLOAD](#)



[DOWNLOAD](#)



[DOWNLOAD](#)



[DOWNLOAD](#)



[DOWNLOAD](#)



VOXFLOR®

www.voxflor.com

Shanghai **Headquarters**

T +86 21 62989325

Milano Creative Studio

T +39 3885863150

China **Branch Offices**

Beijing/ Guangzhou/ Shenzhen/ Xiamen

